

## The Law of Cosines

### Law of Cosines


Let  $\triangle ABC$  be any triangle with sides and angles labeled in the usual way (Figure 5.22).

Then

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$b^2 = a^2 + c^2 - 2ac \cos B$$

$$c^2 = a^2 + b^2 - 2ab \cos C$$



**FIGURE 5.22** A triangle with the usual labeling (angles  $A$ ,  $B$ ,  $C$ ; opposite sides  $a$ ,  $b$ ,  $c$ ).

## Solving Triangles (SAS, SSS)

While the Law of Sines is the tool we use to solve triangles in the AAS and ASA cases, the Law of Cosines is the required tool for SAS and SSS. (Both methods can be used in the SSA case, but remember that there might be 0, 1, or 2 triangles.)

### - EXAMPLE 1 Solving a Triangle (SAS)

Solve  $\triangle ABC$  given that  $a = 11$ ,  $b = 5$ , and  $C = 20^\circ$ .


$$c^2 = a^2 + b^2 - 2ab \cos C$$

$$c^2 = 11^2 + 5^2 - 2(11)(5) \cos 20^\circ$$

$$c = \sqrt{\dots}$$

$$c \approx 6.53$$


$$\begin{aligned} \frac{\sin B}{5} &= \frac{\sin 20^\circ}{6.53} \\ \sin B &= \frac{5 \sin 20^\circ}{6.53} \\ \angle B &= \sin^{-1}\left(\frac{\dots}{\dots}\right) \\ &= 15.2^\circ \end{aligned}$$



## EXAMPLE 2 Solving a Triangle (SSS)

Solve  $\triangle ABC$  if  $a = 9$ ,  $b = 7$ , and  $c = 5$ .

$$a^2 = b^2 + c^2 - 2bc \cos A$$



$$\angle B = 180 - 33.6 - 95.7$$

$$\angle B = 50.7^\circ$$

$$\frac{a^2 - b^2 - c^2}{-2bc} = -\frac{2bc \cos A}{-2bc}$$

$$\frac{b^2 + c^2 - a^2}{2bc} = \cos A$$

$$\frac{\sin C}{5} = \frac{\sin 95.7^\circ}{9}$$

$$\sin C = \frac{5 \sin 95.7^\circ}{9}$$

$$\angle C = \sin^{-1} \left( \frac{5 \sin 95.7^\circ}{9} \right)$$

$$\angle A = \cos^{-1} \left( \frac{7^2 + 5^2 - 81}{2(7)5} \right) = \cos^{-1} \left( \frac{49 + 25 - 81}{70} \right)$$

$$\angle A = 95.7^\circ$$

## Triangle Area and Heron's Formula

SAS

### Area of a Triangle

$$\triangle \text{ Area} = \frac{1}{2} bc \sin A = \frac{1}{2} ac \sin B = \frac{1}{2} ab \sin C$$

Area of  
Example 1:

$$a = 11$$

$$b = 5$$

$$\angle C = 20^\circ$$

$$\frac{1}{2} (5)(11) \sin 20^\circ$$

$$\frac{55}{2} \sin 20^\circ$$

$$\boxed{9.4 \text{ units}^2}$$

## THEOREM Heron's Formula

Let  $a$ ,  $b$ , and  $c$  be the sides of  $\triangle ABC$ , and let  $s$  denote the **semiperimeter**

$$S = (a + b + c)/2.$$

Then the area of  $\triangle ABC$  is given by  $\text{Area} = \sqrt{s(s - a)(s - b)(s - c)}$ .

Area of  
Example 2:

$$\begin{aligned} a &= 9 \\ b &= 7 \\ c &= 5 \end{aligned}$$

$$S = \frac{9+7+5}{2} \sqrt{10.5(10.5-9)(10.5-7)(10.5-5)}$$

$$S = 10.5$$

Area of  $\triangle$  in Example 2  
is 17.4 units<sup>2</sup>